

Screen-Printed Platinum Electrodes

Ref. 550



Disposable **Screen-Printed Platinum electrodes (ref. 550)**. Ideal for working with microvolumes, for decentralized assays or to develop specific (bio)sensors. Useful for undergraduate lab to avoid tedious polishing of solid electrodes.

Ceramic substrate: L33 x W10 x H0.5 mm


Electric contacts: Silver

The electrochemical cell consists on:

Working electrode: Platinum (4 mm diameter)

Auxiliary electrode: Platinum

Reference electrode: Silver




30 μm

Scanning Electron Microscopy image of the platinum working electrode surface (ref. 550).

Screen-Printed Platinum Electrodes are commercialised in 75 units packs. They should be stored at room temperature, protected from light in a dry place.

Electrochemical behaviour and electroanalytical performance of SPPEs (ref. 550) for the $K_3[Fe(CN)_6]$ redox system

DropSens Screen-Printed Platinum Electrodes (SPPEs) exhibit a high electrochemical activity and good repeatability. An example is observed for the $K_3[Fe(CN)_6]$ electrochemical process obtained with 5 different SPPEs; RSD = 2.6%.



Cyclic voltammograms of $1 \cdot 10^{-4}$ M $K_3[Fe(CN)_6]$ in 0.1 M KCl electrolyte solution at a scan rate of 50 mV/s. $n = 5$

Also, specific **connectors** that act as an interface between the screen-printed electrode and any potentiostat (refs. DSC, CAC) and other accessories are available at **DropSens**.

Related products



DSC



CAC



FLWCL



CELL



STAT400



STAT8000

Full Catalogue



Parque Tecnológico de Asturias - Edif. CEEI. 33428 LLanera (Asturias). Spain
(+34) 985 27 76 85 - info@dropsens.com - www.dropsens.com

Contact Form

